

LED Flush Mount

Project:

Fixture Type:

Contact:

Ceiling mounted • Damp location listed PROGRESS LED



P350081-009-30

Images:

One-light 12 inch LED flush mount features architectural details for a variety of home styles. A combination of glass textures work together to create an interesting effect for today's interiors. Metallic finishes complement the opal/linen double glass. Brushed Nickel finish.

Specifications:

Description:

- Brushed Nickel (-009) (plated)
- Steel Construction
- Etched Opal with Etched Linen diffuser Glass drum shade
- LED Module is replaceable (part # 93074038)
- · Opal-Linen LED features architectural details for a variety of home styles
- One light LED flush mount
- · A combination of glass textures work together to create an interesting effect for today's interiors
- Popular Brushed Nickel finish
- + Metallic finishes complement the opal/linen double glass
- Features 17-watt integrated LED to deliver energy savings and reduce long-term maintenance costs
- 1452 lumens, 83 lumens per watt (source)
- 3000K color temperature, 90CRI
- ENERGY STAR certified
- California JA8 certified.
- Dimmable to 10% brightness (See Dimming Notes)
- Ceiling pan covers a standard 4" octagonal recessed outlet box
- Mounting strap for outlet box included
- 6" of wire supplied
- ENERGY STAR[®] qualified
- Meets California Title 24 JA8-2016

Performance:

Number of Modules	1	Glas
Input Power	17w	Wid Hei
Input Voltage	120 V	The
Input Frequency	60 Hz	
Lumens/LPW (Source)	1452/83 (LM-82)	
Lumens/LPW (Delivered)	1023/58.8 (LM-79)	
ССТ	3000 K	
CRI	90 CRI	
Life (hours)	60,000 (L70/TM-21)	
FCC	Meets FCC Title 47, Part 15 Class B	
Min. Start Temp	-30 °C	
Max. Operating Temp	30°C	
Warranty	5 year limited warranty	
Labels	cCSAus Damp location listed	
	ENERGY STAR® qualified	
	Meets California Title 24 JA8-2016	



Dimensions:

Diameter: 12" Height: 4-3/4"

Glass Width: 12" Height: 3-1/2"



LED Flush Mount

Ceiling mounted • Damp location listed PROGRESS LED

P350081-009-30

Dimming Notes:

P350081 is designed to be compatible with many Triac/Forward Phase or ELV/Reverse Phase controls.

The following is a partial list of known compatible dimmer controls.

Dimming Controls

Lutron Diva DVELV-300P	
Lutron Nova T NTELV-300	
Lutron Caseta	
Lutron Ariadni AY-600P	
Leviton Illumatech IPI06-1LZ	
Lutron Lumea LG-603PG	
Leviton SureSlide 6672	
Leviton SureSlide 6674	
Lutron Ariadni AYCL-153P	
Lutron Skylark Contour CTCL-153P	
Lutron Diva DVCL-153P	
Pass & Seymour Harmony DCL453PTCCCV6	
Lutron Toggler TGCL-153P	
Lutron Maestro MACL-153M	
Lutron Ariadni AYLV-600P	
Lutron Maestro MA-600	
Lutron NOVA T NTLV-600	
lutron Maestro MAELV-600	
Lutron spacer/system SPSELV-600	
Lutron Renoir II AWRMG-EAW	

Dimming capabilities will vary depending on the dimmer control, load, and circuit installation. Always refer to dimmer manufacturer instructions or a controls specialist for specific requirements.

Dimmer control brand names where identified above are trade names or registered trademarks of each respective company.